

Bone - Gastric Aspecific Reflex (Bo. G. A. R.) light-moderate digital pressure on any skin projection of the bone– (bone trigger points)

Latency time (Lt) in seconds	Latency time after preconditioning (pause of 5 sec.)	MFR in seconds	fD & equilibria	EBD	Preconditioning	tCG	Diagnosis
Lt = 8	Lt = 16 [Lt = 16 if intense digital pressure on cutaneous projection of bone – negative Raggi's Sign – absence of bone lesion]	3 < MFR < 4 normal MFR, associated activation, outcome +	fD ≥ 3 (ideal value fD=3.81) stange attractor	Normal EBD physiological function	Type I Physiological tissue microvascular unit	Negative tonic Gastric Contraction - tCG	Health
Lt = 8	Lt < 16 [Lt = 0 if intense digital pressure on cutaneous projection of bone – positive Raggi's Sign –bone lesion]	MFR = 4 compromised MFR, dissociated activation, outcome ±	2 < fD < 3 limit cycle	Normal, slightly modified EBD function, small number of pathological EBD	Type II A Intermediate tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	Perivascular epithelioid cell - PEComa - Cancer Inherited Real Risk
7 < Lt < 8	Lt < 16 [Lt = 0 if intense digital pressure on cutaneous projection of bone – positive Raggi's Sign –bone lesion]	4 < MFR ≤ 5 growing compromised MFR, dissociated activation, outcome ±	1 < fD ≤ 2 limit cycle	Modified EBD function, increasing number of pathological EBD	Type II B Intermediate tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	PEComa Cancer Inherited Real Risk in evolution
Lt ≤ 7	Lt < 14 [Lt = 0 if intense digital pressure on cutaneous projection of bone – positive Raggi's Sign –bone lesion]	MFR > 5 absent MFR, dissociated activation, outcome –	fD = 1 fix point	Normal EBD function pathological, large number of pathological EBD	Type III Pathological tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	Overt PEComa Cancer

Table 1. Legend: MFR (Microcirculatory Functional Reserve); EBD (Endoarteriolar Blocking Device); CAD (Coronary Artery Disease; fD (fractal Dimension); Lt (Latency time)