

Stroke Inherited Real Risk

Brain - Gastric Aspecific Reflex (Brain. G. A. R.) 'light-moderate' digital pressure upon right and then left closed eye and brain convolution projection area (brain trigger points)

Latency time (Lt) in seconds	Latency time after preconditioning (pause of 5 sec.)	MFR in seconds	fD & equilibria	EBD	Preconditioning	tCG	Diagnosis
Lt = 8	Lt = 16 [Lt = 16 if intense digital pressure on cutaneous projection of epiphysis – negative Rinaldi's Sign – absence of OT]	3 < MFR < 4 normal MFR, associated activation, outcome +	fD ≥ 3 (ideal value fD=3.81) stange attractor	Normal EBD physiological function	Type I Physiological tissue microvascular unit	Absent	Health
Lt = 7	Lt < 14 [Lt = 0 if intense digital pressure on cutaneous projection of epiphysis – positive Rinaldi's Sign – OT]	MFR = 4 compromised MFR, dissociated activation, outcome ±	2 < fD < 3 limit cycle	Normal, slightly modified EBD function, small number of pathological EBD	Type II A Intermediate tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	Stroke Inherited Real Risk
6 ≤ Lt < 7	12 < Lt < 14 [Lt = 0 if intense digital pressure on cutaneous projection of epiphysis – positive Rinaldi's Sign – OT]	4 < MFR ≤ 5 growing compromised MFR, dissociated activation, outcome ±	1 < fD ≤ 2 limit cycle	Modified EBD function, increasing number of pathological EBD	Type II B Intermediate tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	Stroke Inherited Real Risk in evolution
Lt < 6	Lt < 12 [Lt = 0 if intense digital pressure on cutaneous projection of epiphysis – positive Rinaldi's Sign – OT]	MFR > 5 absent MFR, dissociated activation, outcome –	fD = 1 fix point	Normal EBD function pathological, large number of pathological EBD	Type III Pathological tissue microvascular unit	tonic Gastric Contraction - tGC - local autoimmune syndrome - accompanied by gallbladder - and splenic contraction - decongestion: positive tCG	Overt Stroke

Table 1. Legend: MFR (Microcirculatory Functional Reserve); EBD (Endoarteriolar Blocking Device); CAD (Coronary Artery Disease); fD (fractal Dimension); Lt (Latency time)